Personal Health Form — Private and Confidential

CONFIDENTIAL — Date

Name

Address

Date of birth	General Practitioner
Place of birth	No. of years in U K / Other Countries

Marital state	Yes	No
Single		
Married		
Separated		
Widowed		
Divorced		

Family	None	Live	Died
Father			
Mother			
Brothers 1			
2			
3			
4			
Sisters 1			
2			
3			
4			
Children:			
Boys 1			
2			
3			
4			
Girls 1			
2			
3			
4			

Are you living:	Yes	No
In your own home		
With parents		
In lodgings		
In bed-sitter		
Other (state)		
Have you ever worked		
On shift work		
On permanent night work		

Have any of your family suffered these complaints	Yes	No
Pulmonary tuberculosis		
Diabetes		
Epilepsy		
Heart attacks		
Strokes		
High blood pressure		
Mental illness		
Do you smoke?		
If no-did you ever?		
If yes - is it		
Pipe		
Cigars		
Cigarettes		
less than 10 a day		
10 - 20 a day		
20 - 40 a day		
over 40 a day		
Do you drink?		
Occasionally		
Regularly		
Have you ever worked in:		
Coal mines		
Other mines		
Metal manufacture		
Foundries		
Chemical Industry		
Rubber Industry		
A noisy place		
Have you ever worked with Mineral Oils		
Asbestos		
Radio active materials		

nearest relative

Relatives employed on this factory site

Have you ever had:	Yes	No
Acne		
Allergy (of skin)		
Anaemia		
Anxiety		
Arthritis		
Asthma		
Athletes foot		
Attacks of diarrhoea		
Back troubles		
Bilious attacks		
Blackouts		
Bronchitis		
Catarrh		
Chest trouble		
Deafness		
Depression		
Diabetes		
Ear trouble (inflammation or abscess or discharge)		
Easily tired		
Eczema		
Emotional upsets		
Epilepsy		
Faint		
Fits		
Frequent colds		
Frequent sore throats		
Gall bladder inflammation		
General debility		
Giddy spells		
Hay fever		
Headaches		
Haemophilia		
Hearing trouble		
Heart trouble		
Hernia (rupture)		
High blood pressure		
Inability to sleep		
Jaundice		
Kidney trouble		

	Yes	No
Liver inflammation		
Low Blood pressure		
Malaria		
Mental trouble		
Migrane		
Nervous breakdown		
Nose trouble		
Palpitation		
Peptic ulcer		
Piles		
Pleurisy		
Pneumonia		
Rheumatic fever		
Sensitivity to drugs		
Short sight		
Sinusitis		
Skin trouble		
Squint		
Stomach ache		
Stomach ulcers		
Throat trouble		
Thyroid trouble		
Tropical disease		
Tuberculosis		
Typhoid fever		
Urinary difficulty		
Varicose veins		
Do you have any difficulty		
Walking		
Bending		
Sitting		
Standing		
Lifting		
Climbing stairs		
Are you at present:		
under your own doctor		
attending hospital		
registered disabled		

What fractures, injuries or operations have you had?

I certify that I have completed this form to the best of my knowledge _____ Date _____

First edition personal health form front. Form 3.

Appendix A 3

Body build

Height

Weight

Vision

	6/
corrected distance	6/
corrected close	6/
uncorrected distance	6/
uncorrected close	

Muscle balance

Maddox wing test

Colour normal	Yes	No
deficient		

	Yes	No
Eyes equal		
Eyes unequal		
Infection		
Discharge		

Haemoglobin estimate

adequate	Yes	No
% G		

Melanin	Yes	No
Very light		
Light		
Medium		
Heavy		

Ears

Drums clear L	
R	
Wax present L	
R	

Mouth

Ref. to dentist		
Teeth missing		
Throat healthy		
Tonsils present		

BP

Pulse

Upper Limbs	Yes	No
Nails bitten		
Nails clean		
Nail beds healthy		
Infection		
Nicotine stains		
Grip good		

Spine

Can touch toes

If no why?

Abnormal curves

Skin

Normal		
Dry		
Any sepsis		
Any disease		

Lower Limbs -

Step on stool		
V.V's		
Ankle swelling		
Corns		
Bunions		
Deformities		

Stability

Nervous twitching		
Blushes		
Easy weeping		
Rapid pulse		
Overbreathing		
Wild look		

Does the applicant seem reasonably stable? Yes / No

Manual dexterity

Urine	Yes	No
Albumin		
Sugar		

	Yes	No
Dysuria		
Frequency		

Diarrhoea	Yes	No
Typhoid		
Paratyphoid		
Dysentry		
Recurrent attacks of diarrhoea		
Gastro enteritis		
Blood in stools		

Periods	Yes	No
Menarche age		
Painful		
Off School Work with		
Irregular		
Heavy (clots)		
Date of last		

Blackouts	Yes	No
Faints		
Fits		
Epilepsy		

Vitalograph — Fevl. 0 — Fvc

Predicted

Tested

Chest X-ray

Reservations	Yes	No
Night work		
Shift Work		
Part time work		
Sedentary work		
Semisedentary work		
Light work		
Moderate Work		
Close work		
Machine work		
Hot work		
Dusty work		
Belt work		
Heavy lifting		
Lifting		
Trellezing		
Noisy work		
Oil handling		
Chocolate handling		
Grease handling		
Food handling		
Water handling		

Comments

	Yes	No
Fit		
Unfit		
Fit with reservations		

Date Signed

First edition personal health form back. Form 4.

Appendix A 4

Third edition personal health form front. Form 7.

Personal Health Form
Cadbury Limited

Private and Confidential

Date

Surname
(Capitals)

Forenames

Address

Date of birth | Place of birth | No. of years in U.K.

Other countries visited | General Practitioner

Relatives employed on this factory site | Nearest relative and address

Living: (in own home/in lodgings
(circle one) in-beds/other/other

(Single/Married/Separated
Widowed/Divorced (circle one)

	Living	Died
Father		
Mother		

	No. Living	No. Died
Brothers		
Sisters		
Boys		
Girls		

Have any of your family suffered these complaints?

	Yes	No
Pulmonary T.B.		
Diabetes		
Epilepsy		
Heart Attacks		
Strokes		
Blood pressure (high)		
Mental illness		

	Yes	No
Do you smoke?		
If no - did you ever		
If yes - is it:-		
Pipe		
Cigars		
Cigarettes		
Less than 10 a day		
10 - 20 a day		
20 - 40 a day		
over 40 a day		
Do you drink?		
Occasionally		
Regularly		
Have you ever worked in:-		
Coal mines		
Other mines		
Metal manufacture		
Foundries		
Chemical industry		
Rubber industry		
A noisy place		
Have you ever worked with:-		
Mineral oils		
Asbestos		
Radio active materials		
Have you ever worked on:-		
Shift work		
Permanent night work		

HAVE YOU EVER HAD

	Yes	No
Allergy (of skin)		
Anaemia		
Arthritis		
Asthma		
Athletes foot		
Attacks of diarhoea		
Back troubles		
Bilious attacks		
Blackouts		
Bronchitis		
Catarrh		
Deafness		
Depression		
Diabetes		
Ear trouble (inflammation or abscess or discharge)		
Easily tired		
Eczema		
Frequent colds		
Gall bladder trouble		
General debility		
Giddy spells		
Hay fever		
Headaches		
Heamophilia		

	Yes	No
Hearing trouble		
Heart trouble		
Hernia (Rupture)		
Blood Pressure		
Inability to sleep		
Jaundice		
Kidney trouble		
Malaria		
Mental trouble		
Migraine		
Nose trouble		
Palpitations		
Peptic ulcer		
Piles		
Pleurisy		
Pneumonia		
Rheumatic fever		
Sensitivity to		
Sinusitis		
Skin trouble		
Stomach ache		
Stomach ulcers		
Throat trouble		
Thyroid trouble		
Tropical disease		
Tuberculosis		
Urinary difficulty		
Varicose veins		

Do you have any difficulty:		
Walking		
Bending		
Sitting		
Standing		
Lifting		
Climbing stairs		

What fractures, injuries or operations have you had?

.....

.....

.....

.....

.....

Are you at present:-		
Attending your doctor		
Attending Hospital		
Registered Disabled		

What tablets or medicines are you taking at present?

.....

.....

.....

Signature .....

Appendix № 7

SHORT PERSONAL HEALTH FORM

CADBURY LIMITED

Private and Confidential

Surname (Capitals)	Christian/Forenames	Date of Birth
Address	Other countries visited recently	
Next of kin and address	Family Doctor/General Practitioner	

Are you having any treatment, tablets or medicines from a doctor or hospital? Do you take any other tablets or medicines? *

Yes	No

If 'Yes' give details:

What fractures, injuries or operations have you had?

Do you have difficulty, or are you likely to have difficulty doing any of the following continuously or for long periods? *

	Yes	No
Walking		
Bending		
Sitting		
Standing		
Lifting weights		
Climbing stairs		

Have you ever had any of the following: *

	Yes	No
Allergy to drugs		
Arthritis		
Asthma		
Attacks of diarrhoea		
Back troubles		
Blackouts		
Blood pressure		
Bronchitis		
Diabetes		
Ear trouble or deafness		
Gall bladder trouble		
Hay fever		
Heart trouble		
Hernia (rupture)		
Kidney trouble		
Mental trouble		
Palpitations		
Rheumatic fever		
Skin trouble		
Stomach ulcers		
Thyroid trouble		
Tuberculosis		
Varicose veins		

Are there any other matters concerning your health which could affect your work in a food factory? *

Yes	No

If 'Yes' please say what at your examination.

Signed Date

Tick the appropriate box indicating 'yes' or 'no'.

Short personal health form front. Form 10.

Appendix A 10

CADBURY LIMITED

HEALTH FORM FOR PERSONS BEING RE-EMPLOYED

1 Since your previous employment have you received any hospital treatment?

2 Are you receiving any treatment from a doctor at present?

3 Do you have discharging ears or any other septic condition?

4 Do you know of any reasons now why you should not work in a food factory?

5 Do you consider yourself completely fit to do any kind of work you may be asked to do?

Signed .....

Date.....

Up to 12 a.m. 1971 CW/GS

Health form for persons being re-employed 1971 edition.
Form 11.

CADBURY LTD.

Health Form for persons recommencing in Factory employment in less than six months after leaving.

Surname	Christian/Forenames	Date of birth
Type of work offered		

1. Since you first started working at Cadbury's have you had any operations, injuries, illnesses or conditions which could affect your ability to do certain jobs now? Yes/No (delete one)

2. Are you having any medical treatment of any kind now, including tablets or medicines? Yes/No (delete one)

3. Have you any infection of any kind at present?

   (Including suffering from or being a carrier of:

   Typhoid fever, Dysentry, any septic condition likely to cause food poisoning including boils, abscesses, whitlows, ear discharge staphylococcal or other infections or any sickness with the symptoms of diarhoea) Yes/No (delete one)

Gillin
12/73

Signed Date

Health form for persons recommencing in factory employment in less than six months after leaving. 1973 edition.
Form 12.

CADBURY LIMITED
HEALTH FORM FOR VACATIONAL STUDENTS

1 Are you receiving any treatment from a hospital or doctor at present?

2 Have you had any contagious disease or gastro-enteritis (food poisoning) in the past three months ?

3 Do you suffer from epilepsy, blackouts or fits ?

4 Do you have discharging ears or any other septic condition ?

5 Do you know of any other reasons why you should not work in a food factory ?

Signed .....

Date .....

Summer 19
CW/Gen

Health form for vacational students. 1971 edition.
Form 14.

CADBURY SCHWEPPES

COMPREHENSIVE PRE-EMPLOYMENT MEDICAL EXAMINATIONS

Surname (IN CAPITALS) _____ Christian Names (Mr) (Mrs) (Miss) _____

Applying for position as _____ Age _____

Height _____ ft _____ ins Weight _____ st _____ lbs

Would eyesight or hearing preclude the applicant from driving?

Registered Disabled Person _____

This applicant is fit / unfit / fit with reservations for work applied for

Any other comments _____

Date _____ Doctor's Signature _____

Address _____

DETAILS OF PRE-EMPLOYMENT MEDICAL HISTORY AND EXAMINATION

Previous Accidents
Operations, Illnesses _____

Diabetes Mellitus _____

Deafness, Ear Discharge _____

Respiratory System
Asthma, T B, Bronchitis _____

Previous Chest X Ray _____

Circulatory System _____

Alimentary System _____

Hernae _____

Genito-Urinary System _____

Musculo-Skeletal _____

Skin, Dermatitis _____

Nervous System _____

Mental (including fainting attacks) _____

Epilepsy _____

Varicose Veins
Haemorrhoids _____

Deformities _____

A19

(The top part of the form has a self-carbon copy for sending the result to managment.)
Form sent by the Company Medical Officer to non-company doctors undertaking pre-employment medical examinations for the company. Form 17

Fourth edition personal health form front

Appendix A 1.

Personal Health Form Cadbury Limited	Private and Confidential Date
Surname (Capitals)	Forenames
Address	

Date of Birth	Place of Birth	No. of years in U.K.
Other countries visited		General Practitioner
Relatives employed on this factory site		Nearest relative and address

Living . in own home/in lodgings
(circle one) in bedsitter/other

Single/Married/Separated/
Widowed/Divorced (circle one)

	Live	Died
Father		
Mother		

	No. Live	No. Died
Brothers .		
Sisters .		
Boys		
Girls ...		

Have any of your family suffered these complaints?

	Yes	No
Pulmonary T.B.		
Diabetes		
Epilepsy		
Heart Attacks		
Strokes		
Blood Pressure (High)		
Mental Illness		

Do you smoke?		
If no - did you ever		
If yes - is it:-		
Pipe		
Cigarettes		
Cigars		
Less than 10 a day		
10 - 20 a day		
20 - 40 a day		
over 40 a day		

	Yes	No
Do you drink?		
Occasionally		
Regularly		
Have you ever worked in:-		
Coal mines		
Other mines		
Metal manufacture		
Foundries		
Chemical industry		
Rubber industry		
A noisy place		
Have you ever worked with.-		
Mineral oils		
Asbestos		
Radio active materials ..		
Have you ever worked on.-		
Shift work		
Permanent night work .		

What fractures, injuries or operations have you had?

.....

.....

.....

.....

.....

.....

HAVE YOU EVER HAD	Yes	No
Allergy (of skin)		
Anaemia		
Arthritis		
Asthma		
Athletes foot ...		
Attacks of diarhoea		
Back troubles ...		
Bilious attacks		
Blackouts		
Bronchitis		
Catarrh		
Deafness		
Depression		
Diabetes		
Ear trouble (Inflammation or abscess or discharge)		
Easily tired ...		
Eczema		
Frequent colds ..		
Gall bladder trouble		
General debility		
Giddy spells		
Hay fever		
Headaches		
Haemophilia . .		

	Yes	No
Hearing trouble		
Heart trouble		
Hernia (Rupture) ...		
Blood pressure		
Inability to sleep .		
Jaundice		
Kidney trouble		
Malaria		
Mental trouble ...		
Migrane		
Nose trouble		
Palpitations		
Peptic ulcer		
Piles		
Pleurisy		
Pneumonia		
Rheumatic fever		
Sensitivity to drugs		
Sinusitis		
Skin trouble		
Stomach ache		
Stomach ulcers		
Throat trouble		
Thyroid trouble ...		
Tropical disease ...		
Tuberculosis		
Urinary difficulty .		
Varicose veins . ..		

Do you have any difficulty, or are you likely to have any doing any of the following for long periods?

	Yes	No
Walking		
Bending		
Sitting		
Standing		
Lifting weights .		
Climbing stairs .		

	Yes	No
Are you having any treatment tablets or medicines from a doctor or hospital?. Do you take any other tablets or medicines? ..... Are you registered as disabled?.....		
Are there any other matters concerning your health which could affect your work in a food factory?		

I give permission for the medical department to contact my family doctor. Signed:- . .....

Third, fourth edition and short personal health form back.

Body build
Height
Weight

Vision

	R	L
Glasses distance		
Glasses close		
No glasses distance		
No glasses close		

Bioptor (Tick = High score? = colour score, Y = low score)

	-	/	/	S	C	7	3	9

	Yes	No
Colour deficient		
Eyes unequal		
Infection		
Discharge		
Haemoglobin estimate		
Inadequate		

% ____ g

Nutrition (Tick one)

Very Light	Light	Med	Heavy

	Yes	No
Hair unhygienic		
Ear drums obscured ..... R		
..... L		
Ear drums unhealthy ..... R		
..... L		

. .. .

Mouth

Ref to dentist		
Inadequate bite		
False teeth		
Throat unhealthy		
Tonsils absent		

C / S

B P _____ Pulse _____

....

. .. .

Resp X-ray date - .....

Vital.	Pred	Test
FEV 1.0		
F.C		

....

... .

.....

Upperlimbs

	Yes	No
Nails bitten		
Nails dirty		
Nail beds unhealthy		
Infection		
Nicotine stains		
Grip poor		
.. . .		
....		

Spine

Injuries		
Abnormal curves		
Can't touch toes -		
If 'yes' why?		
....		
... .		

Skin

Abnormal		
Dry		
Any sepsis		
Any disease		
. . ..		

Lower Limbs

Step on stool		
V.V's		
Ankle swelling		
Corns		
Bunions		
Deformities		

Abdo ... .

.. ..

. ...

....

Diarrhoea

	Yes	No
Typhoid		
Paratyphoid		
Dysentry		
Recurrent attacks of diarrhoea		
Gastro-enteritis ...		
Blood in stools		

.....

.....

G.U

Urine		to
Albumin		
Sugar		
Dysuria		
Frequency		
. ...		
. . ..		

Periods

Menarch age		
On Pill		
Painful		
Off school with ..... work		
Irregular		
Heavy (Clots)		
Date of last _____		
Pregnant		
Does the applicant seem unstable?		
If 'yes' is there:-		
Nervous twitching		
Blushes		
Easy weeping		
Rapid pulse		
Overbreathing		
Wild look		

Faints		
Fits		
Epilepsy		

Reservations

	Yes	No
Night work . .		
Shift work		
Part time work		
Sedentary work . ..		
Semi-sedentary work		
Light work		
Moderate work		
Close work		
Machine work		
Hot work		
Dusty work		
Belt work		
Heavy lifting		
Lifting		
Trolleying		
Noisy work		
Oil handling		
Chocolate handling . ..		
Grease handling ...		
Food handling		
Water handling		

Comments:- ....

....

....

....

....

....

....

....

....

....

....

....

.. ..

Fit/unfit/Fit with reservations for .....

.... work

This applicant need not be examined before transfer to other work. *Unless illness or accident intervene

Date:- ..... Signed:- .. ..

Appendix 4 2.

Variable List as used for MPH thesis and proposed with modification for PhD thesis.
4 Comment on list as recorded here

1 Coding list order

The variables are listed in the order of coding used on the punch cards

The number in the form 2 1 34-35 indicates the number of columns, 2, card number, 1, and columns number 34 and 35.

If further data is to be collected and examined changes in the coding order could be made either by adding a fifth card or changing present order Great care would then need to be exercised to see that subsequent instructions to the computer were appropriately changed, a fairly major modification job that would be worthwhile if the program were to be used for surveillance

2. Values given

In general the values given are those which were used obvious values are missing in this data but are likely to be present in future data these are included without note

Flexible coding arrangements are available for a small number of variables as indicated.

A wide range of values has been included as far as possible to give the greatest flexibility in analysis I regret now that the values for operations, fractures and trauma were truncated into summaries at the data collection stage Future data collection could well change this

Here truncation was used effort was made to find a system that would allow comparison of the results with other research (cf Sir Austin Bradford Hill Principles of Medical Statistics The Lancet, London 1971 and Geoffrey Rose & H. Blackburn Cardiovascular Survey Methods WHO Geneva 1968 pp43-44)

3. The samples involved

The sample who were examined for any variable is indicated in brackets at the end of that variable listing

In processing the samples examined can be selectively reduced so all possible samples are by no means indicated

4. Definitions used in coding

'Absence' is not counted as such if the individual was excluded as a contact of diarrhoea but was not affected themselves.

'Action' refers to that taken in relation to the job under consideration Treatment required for fitness for the job

is included. Where an item is noted because it could have implications in relation to the job this is counted as action

'Amount drunk' where a range is reported e.g 4-5 pints, it is coded into the group containing the highest category i e.5-7 pints

'D.K ' the person responsible didn't know i e in self recorded and verbal history this would be the prospective employee and in physical examination the examiner D K was also used if the form wasn't completed and the reason not known.

'Height' half inches were rounded to the nearest even number. This gave a histogram with alternating high and low values for the ungrouped data.

'Weight' eight pounds were rounded to the nearest even number. This also gave alternating high and low values for ne ungrouped data

5. Abbreviations used in coding

DK Don't know

NA Not asked

NE Not examined

pa Present acknowledged

paa Present acknowledged, action taken

pan Present acknowledged, no action taken

PE Physical exam

PI Preliminary interviewer (Original form only)

pna Present not acknowledged

pnaa Present not acknowledged, action taken

pnan Present not acknowledged, no action taken

residual disability Something which could affect job performance not necessarily the job applied for

r Routinely recorded

s Specially recorded

SRH Self recorded history

VH Verbal history

		ASSIGN BLANKS 999
IDENT	4 1 1-4	Study No
CARD	1 1.5	Card No
SEX	1 1 6	Male=1 Female=2
BIRTHP	1 1 7	SRH Eng=1 Scot/Wls/N Ire=2 UK=3 Eire=4 Carib=5 Ind/Pak=6 Other=7 DK=8 NA=9
BIRTHY	2 1 8-9	SRH Year of birth last 2 digits NA=99 DK=0
AGE	New	COMPUTE AGE=YREXAM-BIRTHY,IF (FORM EQ 0) AGE=YRSUK
NAGE	New	COMPUTE NAGE=AGE,RECODE NAGE(15 THRU 19=0) (20 THRU 24=1) (25 THRU 29=2) (30 THRU 34=3) (35 THRU 39=4) (40 THRU 44=5)(45 THRU 49=6) (50 THRU 54=7) (55 THRU 59=8) (60 THRU 64=9) (65 THRU 69=10) (10,999=11), 11=Don't know
SUMAGE	New	COMPUTE SUMAGE=NAGE, RECODE (0 THRU 1=1) (2 THRU 3=2) (4 THRU 5=3) (6 THRU 7=4) (8 THRU 9=5) (10=6) (11=7),(1)15-24 (2)25-34 (3)35-44 (4)45-54 (5)55-64 (6)65-69 (7)Don't know
YRSUK	2 1.10-11	SRH No of years in U K.=actual number (2 digits)VH=No +50 DK=98 NA=99
IMMGRNT	New	COMPUTE IMMGRNT=0, IF ((ABS(YRSUK-AGE)GT 2) OR (IMMIGNW EQ 1)) IMMGRNT=1, (1)Yes
YREXAM	2 1.12-13	Yr of exam 1971=71 etc
FORM	1 1 14	Original=0 First ed=1 Second ed=2 Third ed=3 Short=4 Var.1=5
INTERV	1 1 15	(Original form only) Primary interviewer + other=1 Phys examiner only=2 NA=9 (57) Orig form
CURSMOK	1 1 16	SRH Current smoker No=0 Yes=1 ?=2 NA=9 (113)N Orig or short
PREVSMOK	1 1.17	SRH Previous smoker No=0 Yes=1 ?=2 DK=8 NA=9 (118)N.Orig or Short
PIPE	1 1.18	SRH Pipe smoker No=0 Yes=1 ?=2 DK=8 NA=9 (113)N.Orig or Short
CIGAR	1 1 19	SRH Cigar smoker No=0 Yes=1 ?=2 DK=8 NA=9 (113)N Orig or Short
NOSMOKD	1 1.20	SRH Smokes Under10/day=1 10-20/day=2 20-40/day=3 40+/day=4 DK=8 NA=9 (118) N.Orig or Short
SMOKER	New	IF ((CURSMOK EQ 1) OR (PIPE EQ 1) OR (CIGAR EQ 1) SMOKER=1
NONSMOKE	New	IF ((CURSMOK EQ 0) AND (PREVSMOK EQ 0) AND (PIPE EQ 0) AND (CIGAR EQ 0)NONSMOK=1
DRKSOCC	1 1.21	SRH Occasional drinker=1 Regular drinker=2 Both=3 Neither=0 DK=8 NA=9 (118)N.Orig or Short
DRKSWK	1 1.22	VH Drinks less than once/wk=1 1-2ce/wk=2 3-4s/wk=3 5-7s/wk=4 8+/wk=5 W/E's=6 None=0 DK=8 NA=9 (39) Arbitrary
DRKSWHN	1 1 23	VH Drinks lunch only=1 Nts only=2 Parties & Spec Occas only=3 1&2=4 1&3=5 2&3=6 1,2&3=7 None=0 DK=8 NA=9 (2)Arbitrary
DRKSATM	1 1 24	VH Drinks up to 2pts/time=1 3-5pts/time=2 6+pts/time=3 None=0 DK=8 NA=9 (23) Arbitrary (Pint beer=glass wine=glass sherry= single whiskey=1 unit alcohol Health Education Council)

ACNE	1 1 25	SRH Acne pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (21)First Ed
ALLGYSKN	1 1 26	SRH Skin allergy pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 Na=9 (194) N.Orig
ANAEMI	1 1 27	SRH Anaemia pnaa=1 pnan=2 paa=3 pan=4 undiagnosed action=5 undiagnosed no action=6 None=0 DK=8 NA=9 (118)N Orig or Snort
ARTHPTS	1 1 28	SRH Arthritis pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
ASTHMA	1 1.29	SRH Asthma pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
TINEAP	1 1 30	SRH Athletes foot pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Snort
DIARHS	1 1.31	SRH recurrent diarrhoea (snort & 3rd Ed. 'attacks of diarrhoea')pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
DIARHV	1 1 32	VH Recurrent diarrhoea=1 Stools+ve=2 Stools-ve=3 Test ordered no result=4 No tests=0 DK=8 NA=9 (251) All
TYPHD	1 1.33	SRH Typhoid pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
PTYPHD	1 1 34	VH/SRH Paratyphoid pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
DYSNTRY	1 1 35	VH/SRH Dysentry pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
GASTROE	1 1 36	VH Gastroenteritis pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
BILIOUSS	1 1 37	SRH Bilious attacks pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 Not coded 1 or 2 if diarrhoea or gastroenteritis acknowledged (118)N.Orig or snort
BACKTRBL	1 1.38	SRH Back trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
BLACKTS	1 1.39	SRH Blackouts pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
EPILEPSY	1 1.40	SRH VH Epileosy pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (251) All(except few obviously unfit)
FAINTS	1 1.41	SRH Faint(s) pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (23)N.Orig 3rd 4th or snort
FAINTV	1 1 42	VH Faint(s) pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 (251) All (except few obviously unfit)
FITSS	1 1.43	SRH Fits pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (21)1st & 2nd Ed
FITSV	1 1 44	VH Fits pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 (251) All(except few obviously unfit)
BCITIS	1 1 45	SRH Bronchitis pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
PLRSY	1 1.46	SRH Pleurisy pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Srort

PNUMNA	1 1 47	SRH pneumonia pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
CATTRH	1 1 48	SRH Catarrh pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
DEAF	1 1 49	SRH Deafness pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(118)N.Orig or Short
HEARNGTR	1 1 50	SRH Hearing trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
EARTR	1 1.51	SRH Eartrouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig (Short form 'ear trouble or deafness')
EARPERF	1 1.52	Ear perforation(s)=1 Ear discharge ores =2 Wax=3 1&2=4 2&3=5 All=6 None=0 DK=8 NE=9 (251)All (Except few obviously unfit)
DIABETES	1 1.53	SRH Diabetes pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
EASLYTRD	1 1.54	SRH Easily tired pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
ECZEMA	1 1 55	SRH Eczema pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
FRQCOLDS	1 1 56	SHR frequent colds pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
GALBLAD	1 1 57	SRH Galbladder trouble (1st ed 'Gallbladder inflammation' pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
GENDEBTY	1 1.58	SRH General debility pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
GIDYSPLS	1 1 59	SRH Giddy spells pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
HAYFEVR	1 1 60	SRH Hayfever pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
HEADCHS	1 1.61	SRH Headaches pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
HEAMOPH	1 1.62	SRH Heamophilia pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(118)N Orig or Short
HEARTTR	1 1 63	SRH Heart trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 Dk=8 NA=9 (194)N Orig
HERNIA	1 1.64	SRH Hernia pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
BPSRH	1 1.65	SRH Blood pressure pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
BPHILO	1 1 66	SRH High BP=1 SRH Low BP=2 Both=3 Neither=0 DK=8 NA=9 (16)1st Ed
BPPE	1 1 67	PE BP Systolic under100=1 100=2 120=3 140=4 160=5 180=6 200+=7 DK=8 NE=9 (5) Arbitrary
PULSEREC	1 1 68	Pulse recorded normal=1 90+=2 Irreg=3 DK=8 NA=9 (3)Arbitrary
INSOMNIA	1 1 69	SRH Inability to sleep pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
JAUNDICE	1 1 70	SRH Jaundice pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
KIDNEYTR	1 1 71	SRH Kidney trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 Dk=8 Na=9 (194)N Orig
URINDIFF	1 1 72	SRH Urinary difficulty pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or

		Short
DYSURIA	1 2.6	VH Dysuria pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
FRQNCY	1 2.7	Vh Frequency pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
MALARIA	1 2 8	SRH Malaria pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
TROPSDUR	2 2 9-10	Time spent in tropics=N of yrs Age orig form=age+50 Under 1 yr=97 None=00 DK=98 NA=99
TROPSTIM	New	COMPUTE TROPSTIM=TROPSDUR, RECODE(11=1)(17=2) (18=3)(21=4)(22=5) (23=6)(97=7)(98=8) (0=0)(88,999=9)
TROPSWHN	1 2.11	Time in tropics up to 6/12 ago=1 6/12=2yrs ago=2 Longer=3 None=0 DK=8 NA=9 (118)N.Orig or Short
TROPLDIS	1 2.12	SRh Tropical disease pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(118)N Orig or Short
MENTLTRB	1 2.13	SRH Mental trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
DEPRESN	1 2.14	SRH Depression pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
EMOTUPST	1 2.15	SRH Emotional upsets pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (16)1st ed
NERVBRKN	1 2.16	SRH Nervous breakdown pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(16)1st ed
MIGRANE	1 2.17	SRH Migrane pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Snort
NOSETRB	1 2.18	SRH Nose trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
PALPITN	1 2.19	SRH Palpitations pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(194)N.Orig
PEPTICUL	1 2.20	SRh Peptic ulcer pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(118)N.Orig or Short
PILES	1 2.21	SRh Piles pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9(118)N.Orig or Short
RHEUMF	1 2.22	SRH Rheumatic fever pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig and short
SENSDRUG	1 2.23	SRH Sensitivity to drugs(Short form'Allergy to drugs) pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig form
SINUSTR	1 2.24	SRH sinus trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
SKINTR	1 2.25	SRH Skin trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig.
STOMAIK	1 2.26	SRh Stomach ache pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig or Short
STOMULC	1 2.27	SRh Stomach ulcer pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig.
THRTTR	1 2.28	SRH Throat trouble pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (118)N.Orig or Short
TONSLAB	1 2.29	SRh Tonsils absent (Asked 'What operations') pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig

```
THYPTR   1 2 30      SRH Thyroid trouble pnaa=1 pnan=2 paa=3
                     pan=4 Undiagnosed action=5 Undiagnosed no
                     action=6 None=0 DK=8 NA=9 (194)N Orig
TUBERCL  1 2 31      SRH Thyroid trouble pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N Orig
DIFWALKG 1 2 32      SRH Difficulty walking pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N Orig
DIFBENDG 1 2 33      SRH Difficulty bending pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N.Orig
DIFSTG   1 2 34      SRH Difficulty sitting pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N Orig
DIFSTDG  1 2 35      SRH Difficulty standing pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N Orig
DIFLIFTG 1 2.36      SRH Difficulty lifting pnaa=1 pnan=2 paa=3
                     pan=4 None=0 DK=8 NA=9 (194)N.Orig
DIFCLSTR 1 2.37      SRH Difficulty climbing stairs pnaa=1 pnan=2
                     paa=3 pan=4 None=0 DK=8 NA=9 (194)N Orig
**                   RECODE (From original list)ALLGYSKN TO
                     DIARHS,TYPHD TO EARTR,DIABETES TO BPSRH,
                     INSOMNIA TO MALARIA,TROPLDIS TO DIFCLSTR
                     (0=0)(1=1)(2=2)(3=3)(4=4)(5 THRU 9,999=5)
MORBA0 to MORBA5     DO REPEAT MORBSUMA=MORBA0,MORBA1,MORBA2,
                     MORBA3,MORBA4,MORBA5/
                     C=0,1,2,3,4,5
                     COUNT MORBSUMA=ALLGYSKN,ARTHRTS,ASTHMA,
                     DIARHS,DYSNTRY,BACKTRBL,BLACKTS,BCITIS,
                     EARTR,GALBLAD,HAYFEVR,BPSPH,KIDNEYTR,
                     MENTLTRB,PALPITN,SENSDRUG,SKINTR,STOMULC,
                     TONSILAB,THYRTR,DIFWALKG,DIFBENDG,DIFSTG,
                     DIFSTDG,DIFLIFTG,DIFCLSTR (C) END REPEAT
                     VAR LABELS MORBA0,26 Morbs None/MORBA1,26
                     Morbs pnaa/MORBA2,26 Morbs pnan/MORBA3,
                     26 Morbs paa/MORBA4,26 Morbs pan/MORBA5,
                     Missing/
MORBB0 to MORBB5     DO REPEAT MORBSUMB=MORBB0,MORBB1,MORBB2,
                     MORBB3,MORBB4,MORBB5/
                     C=0,1,2,3,4,5
                     COUNT MORBSUMB= ANAEM,TINEAP,BILIOUSS,PLRSY,
                     PNEUMA,CATRRH,DEAF,HEARNGTR,EASLYTRD,ECZEMA,
                     FLUCOLDS,GENDEBTY,GIDYSPLS,HEADCHS,HEARTOPH,
                     INSOMNIA,JAUNDICE,DEPRESN,MIGRANE,NOSETRB,
                     PILES,SINUSTR,STOMAIK,THRTTR (C) END REPEAT
                     VAR LABELS MORBB0,24 Morbs None/MORBB1,24
                     Morbs pnaa/MORBB2,24 Morbs pnan/MORBB3,
                     24 Morbs paa/MORBB4,24 Morbs pan/MORBB5,
                     24 Morbs Missing/
ATTGDR   1 2.38      SRH Attending GP=1 Under GP=2 Meant has
                     a GP=3 pna=4 None=0 DK=8 NA=9 (194) N.
                     Orig
ATTGHOS  1 2.39      SRH Attending rosp.tal=1 pna=4 Tr/tacs/meds
                     from Dr.or rosp (Short form only (96))=5
                     None=0 DK=8 NA=9 (194)N.Orig
REGDISAB 1 2 40      SRH Registered disabled pnaa=1 pnan=2
                     paa=3 pan=4 None=0 DK=8 NA=9 (118)N Orig
                     or Short
FRASUMSA 1 2 41      SRH first fracture summary  Head=1 Upper
```

		digits=2 Upper limb rest=3 Torso major=4 Torso minor=5 Lower digits=6 Lower rest=7 Multiple='-' None=0 DK=8 NA=9 (194)N Orig
FRASUMSB	1 2 42	SRH second fracture summary as above
FRASUMSC	1 2 43	SRH third and subsequent fracture summary was left to be decided, sample used fit above pattern
FRASUMVA	1 2.44	VH fracture summary as FRASUMSA (251)
FRASUMVB	1 2.45	VH fracture summary as FRASUMSB (251)
FRASUMVC	1 2 46	VH third and subsequent fracture summary as FRASUMSC (251)
FRASUMPA	1 2 47	PE first fracture summary as FRASUMSA (251)
FRASUMPB	1 2.48	PE second fracture summary as FRASUMSB (251)
FRASUMPC	1 2.49	PE third and subsequent fracture summary as FRASUMSC (251)
ACTFRAC	2 2.50-51	Action taken on fracture history (33 fractures in sample) FRASUMSA=01 FRASUMSB=02 FRASUMSC=03 FRASUMVA=04 FRASUMVB=05 FRASUMVC=06 FRASUMPA=07 FRASUMPB=08 FRASUMPC=09 Action on 2=10 Action on 3=11 Action on 4 or more=12 No action=00 DK=98 NA=99
OPSUMSA	2 2 52-53	SRH First operation summary Head organ (incl T's)=01 Head other=02 Thyroid=03 Other neck=04 Cardiovasc. major (heart or great vessels)=05 Other cardiovasc (incl. piles)=06 Lower respiratory=07 Superficial=08 Minor abdo (incl. hernia, appendix,laparotomy,Caesarian=09 Major abdo (incl. repair,hysterect ,gall blad , gastrect.)=10 Genito-urinary (incl. sterilisation)=11 Upper limb=12 Lower limb=13 Other orthopoedic=14 Other=15 2 Major abdo =16 None=00 DK=98 NA=99 (194)N.Orig
OPSUMSB	2 2 54-55	SRH Second operation summary as above (194)N.Orig
OPSUMSC	2 2.56-57	SRH Third and subsequent operation summary as OPSUMSA with new codes as required (194)N.Orig
OPSUMVA	2 2.58-59	VH First operation summary as OPSUMSA (251)
OPSUMVB	2 2 60-61	VH second operation summary as OPSUMSB (251)
OPSUMVC	2 2 62-63	VH third and subsequent operation summary as OPSUMSC (251)
OPSUMPA	2 2.64-65	PE First operation summary as OPSUMSA (251)
OPSUMPB	2 2.66-67	PE Second operation summary as OPSUMSB (251)
OPSUMPC	2 2.68-69	PE Third and subsequent operation summary as OPSUMSC (251)
ACTOP	2 2.70-71	Action on operations (126 operations in sample)as ACTFRAC (251)
TRAUMSRA	1 2.72	SRH First trauma summary No hospital treatment, no residual disability=1 No hospital treatment, residual disability=2 Hospital treatment, no residual disability=3 Hospital treatment, residual disability=4

		DK re nospital, no residual dissability=5 DK re nospital treatment, residual dis-sability=6 None=0 DK=8 NA=9(194)N Orig (See definitions)
TRAUMSRB	1 3.6	SRH Second trauma as TRAUMSRA (194)N Orig
TRAUMSRC	1 3 7	SRH Third and subsequent trauma as with fractures (194)N.Orig
TRAUMVHA	1 3 8	VH first trauma as TRAUMSRA (251)
TRAUMVHB	1 3.9	VH Second trauma as TRAUMSRB
TRAUMVHC	1 3.10	VH Third and subsequent trauma as TRAUMSRC (251)
ACTTRMA	2 3.14-15	Action taken on trauma summary (25 trauma in sample)as ACTFRAC (251)
MORBSUMC	New	RECODE FRA1SA TO FRA1PC,OPS1SA TO OPS1SC, (0,999=0)(1 THRU 15=1)(16=2) COMPUTE MORBSUMC = (FRA1SA+FRA1SB+FRA1SC+FRA1VA+ FRA1VB+FRA1VC+FRA1PA+FRA1PB+FRA1PC+OPS1SA+ OPS1SB+OPS1SC) (Being recomputed variables FRASUMSA to OPSUMPC)MISSING VALUES MORBSUMC (20)VAR LABELS MORBSUMC,NO OF FRACS OPS/
SRFROPTR	New	COMPUTE SRFROPTR=(FRA1SA+FRA1SB+FRA1SC+ OPS1SA+OPS1SB+OPS1SC+TRAUM1SA+TRAUM1SB+ TRAUM1SC)SRFROPTR,SRH Fracs ops traum/
VHFROPTR	New	COMPUTE VHFROPTR=(FRA1VA+FRA1VB+FRA1VC+ OPS1VA+OPS1VB+OPS1VC+TRAUM1VA+TRAUM1VB+ TRAUM1VC)VHFROPTR,VH of fracs ops traum/
PEFROP	New	COMPUTE PEFROP=(FRA1PA+FRA1PB+FRA1PC+OPS1PA+ OPS1PB+OPS1PC)PEFROP,Pe fracs ops/
ACFROPTR	New	COMPUTE ACFROPTR=(ACTFRAC+ACTOP+ACTTRMA) ACFROPTR,Actn frac op traum/
MEDSSRH	1 3.16	SRH Taking taos or medicines 1 type=1 2 types=2 3 types=3 etc. 7 or more types =7 None=0 DK=8 NA=9 (178)N.Orig or 1st Ed.
MEDSVH	1 3.17	VH taking meds or tablets as above (Arbitrary)
MEDSPE	1 3.18	PE taking meds or tablets as above (Arbitrary)
ACTMEDS	1 3.19	Action taken meds (36 incidents in sample) MEDSSRH=1 MEDSVH=2 MEDSPE=3 NONE=0 DK=8 NA=9
ACTEYFS	1 3.20	Action taken eyes Visual acuity=1 Colour deficiency=2 Inequality=3 Infection=4 More than one=5 None=0 DK=8 NE=9 (251)
DENTREF	1 3.21	PE Reference to dentist No action=1 Treat-ment required before employment=2 Treatment required=4 None=0 DK=8 NE=9 (251)
BITE	1 3.22	PE Inadequate bite=1 Inadequate false teeth=2 Adequate false teeth=3 OK=7 DK=8 NA=9 (251)
VITGPH	1 3.23	Vitalograph r a=1 r n=2 s a=3 a n=4 None=0 DK=8 NA=9 (Arbitrary)

XYCHST	1 3 24	Chest Xray r a=1 r n=2 s a=3 s n=4 VH a=5 VH n=6 None=0 DK=8 NA=9 (Arbitrary)
NAILS	1 3.25	PE Nails bitten=1 Bitten & dirty=2 Dirty=3 Action 1=4 Action 2=5 Action 3=6 OK=7 DK=8 NA=9 (251)
INFUPLB	1 3 26	PE Nail beds unhealthy=1 Infection upper limb=2 1&2=3 Action 1=4 Action 2=5 Action 3=6 OK=7 DK=8 NA=9 (251)
NICOTINE	1 3 27	PE Nicotine stains=1 None=0 OK=7 DK=8 NA=9 All (except few obviously unfit)
GRIP	1 3.28	PE Grip poor=1 Good=2 DK=8 NE=9 All (except few obviously unfit)
VVSRH	1 3.29	SRH VV's pnaa=1 pnan=2 paa=3 pan=4 None=0 DK=8 NA=9 (194)N.Orig
VVSPE	1 3.30	PE VV's minimal=1 more=2 c/o aching=3 VV eczema=4 Ulcer=5 Extent not recorded=6 None=0 DK=8 NE=9 (251)
ANKLSWLL	1 3.31	Ankle swelling present=1 Absent=0 DK=8 NE=9 (251)
BUNCORN	1 3.32	PE Bunions=1 Corns=2 1&2=3 Action 1=4 Action 2=5 Action 3=6 OK=7 None=8 DK=8 (251)
DEFORMS	1 3.33	PE Hammer toes=1 Gt.toes under=2 Sep. between Gt.& 2nd toes=3 Griffosis=4 Deformities (foot)=5 OK=7 DK=8 NA=9 (251)
PERIODSA	1 3 34	VH on pill=1 Dysmen=2 1&2=3 Action 1=4 Action 2=5 Action 3=6 None=0 DK=8 NA=9 (149)N men
PERIODSB	1 3.35	VH Off school/work with periods=1 Irreg periods=2 1&2=3 Action 1=4 Action 2=5 Action3=6 None=0 DK=8 NA=9 (149)N Men
PERIODSC	1 3 36	VH Heavy periods(clots)=1 Action=2 None=0 DK=8 NA=9 (149)N Men
JOB	2 3.37-38	Job Factory Prodn.=01 Choc Block=02 Trolley=03 Fctry non-prodn =04 Fctry QS=05 Metroscopist=06 Spotweigher=07 Overlooker=08 Night cleaner=09 Day cleaner=10 Part time cleaner =11 Special cleaner(double day)=12 15/16yr school leaver=13 Student=14 Choc.-shop=15 Heavy labourer=16 Fork lift truck driver=17 Lorry driver=18 Internal driver=19 Bricklayer=20 Plasterer=21 Carpenter=22 Electrician=23 Painter=24 Plumber=25 Printer=26 Apprentice=27 Window washer=28 Draughtsman=29 R&D Scientist=30 QC Scientist Clerical=32 Secretarial=33 Computer Op =34 Computer Prog =35 18yr school leaver=36 Grad Trainee=37 Mgt.=38 DK Professional=39 DK Technical=40 DK Hourly production=41 DK=98 NA=99 (251)
JOBSUM	New	COMPUTE JOBSUM=JOB.RECODE JOBSUM (01,02,13,49 =01)(06,08,52=02)(43,45=03)(23,25,27,46,55, 48,50=04)(09,12,56=05)(10,47,15=06)(11,54 =07)(42=08)(32,53=09)(37=10)(30,36,44,51=11) (40,38=12).Cells with no cases not recoded. (01)FCTRY PROD A (02)FCTRY PROD B (03)FCTRY PROD C (04)TRADES (05)SUPPORT A (06)SUPPORT B (07)WOMEN CLEAN (08)CATERING (09)CLERICAL (10)GRAD TRAINEE (11)ASS WHITE COLLAR (12)MGT PROF/

JOB GROUPS		
FCTRY PROD A	FCTRY PROD 150 59 0% CHOC BLCK 3 1 2% IS 16 TESCH LVR 1 0 4% PRODSERV 1 0 4%	155 61 8%
FCTRY PROD B	4 1 6% METROSCOPIST 1 0 4%, OVERLOOKER 2 0 8% RETURNS 1 0 4%	
FCTRY PROD C	7 2 8% CARD BOX 5 2 0%, CARD CUTTING 2 0 8%	
TRADES	11 4 4% ELECTRICIAN 1 0 4%, PLUMBER 1 0 4%, APPRENTICE 5 2 0%, FITTER 1 0 4%, SHEET METAL 1 0 4 MOULD MAKER TRAINEE 1 0 4%, SKILLED FITTER 1 0 4%	
SUPPORT A	9 3 6% P&M CLEANER 7 2 8%, SPECIAL CLEANER (LO) 1 0 4%, WAREHOUSEMAN 1 0 4%	
SUPPORT B	5 2 0% DAY CLEANER 2 0 8%, CHOC SHOP 2 0 8%, TOILET CLEANER 1 0 4%	
WOMEN CLEANER	10 4 0% PT CLEANER 9 3 6%, BECCHES CLEANER 1 0 4%	
CATERING	8 3 2% CATERING 8 3 2%	
CLERICAL	3 1 2% CLERICAL 1 0 4%, FACTORY RECORDS 2 0 8%	
GRAD TRAINEE	25 10 0% GRADUATE TRAINEE 25 10%	
ASS WHITE COLL	9 3 6% R & D SCIENTIST 2 0 8%, 18 YR SCHOOL LEAVER 4 1 6%, ASS SCIENTIST 2 0 8% COMPUTERS N SPECIFIED 1 0 4%	
MGT / PROF	5 2 0% MANAGEMENT 4 1 6%, DONT KNOW TECHNICAL 1 0 4%	

JOB GROUPS OF THE POPULATION WITH INDIVIDUAL JOBS NUMBERS AND PERCENTAGES

TOTAL HOURLY PAID	212	84.5%
TOTAL SALARIED	39	15.5%
	251	100%

Chart to show contents of jobgroups.

JOBSUMM	New	IF (SEX EQ 1)JOBSUMM=JOBSUM,RECODE JOBSUMM (1 THRU 3,5 THRU 8=1)(4,9=2)(10 THRU 12=3)(1)FCTRY HRLY PD (2)TRADES CLERIC (3) SALARIED
JOBSUMF	New	IF (SEX EQ 2)JOBSUMF=JOBSUM,RECODE JOBSUMF (1THRU 3,5 THRU 8=1)(4,9=2)(10 THRU 12=3) (1)FCTRY HRLY PD (2)TRADES CLERIC. (3) SALARIED
JOBA to JOBD	New	IF ((JOB EQ 1) AND (SEX EQ 1))JOBA=JOB, IF ((JOB EQ 37) AND (SEX EQ 2))JOBB=JOB, IF ((JOB EQ 1) AND (SEX EQ 1))JOBC=JOB, IF ((JOB EQ 37) AND (SEX EQ 2))JOBD=JOB RECODE JOBB,JOBD (37=1),JOBA,FCTRY A Male/JOBB,GRAD TRNEE MALE/JOBC,FCTRY A FEMALE/JOBD,GRAD TRNEE FEMALE/
HOURS	1 3.39	hours of work Full time=1 AM's,PM's & Part time not specified=2 Evenings=3 Double Days=4 Nights=5 Shifts=6 Days,hours DK=7 DK=8 NA=9
EMPLOYED	1 3 40	Employed=1 Not employed=0 DK=8 NA=9 (251)
FITNESS	1 3.41	Fit=1 Unfit=2 Fit with Reservations=3 Reservations but OK for job sought=4 None=0 DK=8 NA=9 (NOte also dental reservations)
EXAMREQ	1 3.42	Exam required before transfer to other work=1 Exam not required=0 DK=8 NA=9 (235)N First Ed.
RESABC	1 3.43	Reservations A Night work=1 B Shift work=2 C Part time work only=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESDEF	1 3.44	Reservations D Sedentary work only=1 E Semi sedentary work (includes no prolonged standing or sitting still)=2 F light work=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESGHI	1 3.45	Reservations G Moderate work=1 H No machine work=2 I No close work=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESJKL	1 3.46	Reservations J NO hot work=1 K No dusty work=2 L No belt work=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESMNO	1 3.47	Reservations M No heavy lifting=1 N No lifting=2 o No trolleying=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESPQR	1 3 48	Reservations P No noisy work=1 Q No oil handling=2 R No chocolate handling=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESSTU	1 3.49	Reservations S No grease handling=1 T No food handling=2 U No water handling=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)
RESVWX	1 3.50	V Subject to review=1 W Suggest trial period=2 X Permanent reservations=3 1&2=4 2&3=5 1&3=6 All=7 None=0 DK=8 NA=9 (251)

RESOTHR	2	3.51-52	Other reservations Make new two digit codes as required Subject to stool tests=01 No repeated heavy lifting or twisting=02 No bending=03 Expect lost time=04 Hand check required=05 Difficulty sitting, propose cushion=06 Deaf, can lipread=07 Quiet type of job=08 Age=09 Subject to dental check=10 Back trouble=11 Could loose time=12 Not much walking or climbing stairs=13 To wear glasses=14 'Too good' for job=15 Limited English ? History=16 Unspecified=17 Halitosis=18 Gross overweight=19 Subject to body build=21 As far as acknowledged history goes=22 Halitosis + nerves?=23 Wrapped goods only=24
PIMEDA	2	3.53-54	Primary interviewer first medical condition (Made as required) Childish illness=01 Flu=03 Impetigo=04 Malaria=07 Fever=10 Tonsilitis=11 Stomach pains=13 Jaundice=14 Enlarged spleen=15 Abdominal pain=16 Boils or old discharge in ears=17 Migrane or headaches=18 Quinsey=19 Bronchitis=20 Pneumonia=21 Osteomyelitis=22 Perthes=23 Rheumatic fever=24 Anaemia=25 Open skin infection=26 For minor op=27 Kidney trouole =28 Other skin condition=29 Congenital mallet fingers=30 Shingles=31 Warts hands=32 Asthma=33 Cystitis=34 Diarnoea(not covered above)=35 Nerves/oersonality=36 Rheumatism =37 Meningitis=38 Abscess=39 Allergy=40 (Data for the following were not collected Chickenpox, measles, mumps, pertusis, rubella, scarlet fever, abscess chest) None=00 DK=98 NA=99 (57) N.Orig
PIMEDB	2	3.55-56	Primary interviewer second medical condition as PIMEDA
PIMEDC	2	3.57-58	Primary interviewer third and subsequent medical condition as FRASUMSC
PEMEDA	2	3.59-60	Physical examiner first medical condition as PIMEDA
PEMEDB	2	3.61-62	PE second medical condition as PIMEDB
PEMEDC	2	3.63-64	PE third and subsequent medical conditions as PIMEDC
ACTPIPE	2	3.65-66	Action taken on PI or PE medical conditions Combinations used from PIMEDA to make codes (Suspected hardly any would have action taken) Skin infection=26 Ankle swelling=31
PIMEDSUM	New		COMPUTE PIMEDSUM=(PIMEDA*10000+PEMEDB* 100+PIMEDC) MISSING VALUES (888888,999999)
PEMEDSUM	New		COMPUTE PEMEDSUM=(PEMEDA*10000+PEMEDB* 100+PEMEDC) MISSING VALUES (888888,999999)
IPEMEDS	New		IF (INTERV EQ 1)IPEMEDS=PIMEDSUM
EPEMEDS	New		IF (INTERV EQ 2)EPEMEDS=PEMEDSUM

OUWEIGHT	1	3.68	Overweight action=1 Overweight no action=2 Underweight action=3 Underweight no action=4 (Overweight and underweight arbitrary)
HEIGHT	3	3.69-71	Height= 3 digits to nearest even number DK=888
HIGHTSUM	New		COMPUTE HIGHTSUM=HEIGHT, RECODE (407 THRU 411=1)(412 THRU 506=2)(507 THRU 511=3) (512 THRU 606=4), (1)4 07-4 11 (2)5 00-5 06 (3)5.07-5.11 (4)6 00-6.06/
WEIGHT	4	3.72-75	Weight= 4 digits to nearest even number DK=8888
WEITSUM	New		COMPUTE WEITSUM=WEIGHT,RECODE WEITSUM (508 THRU 515=01)(601 THRU 615=02)(700 THRU 715=03)(800 THRU 815=04)(900 THRU 915=05)(1000 THRU 1015=06)(1100 THRU 1115=07) (1200 THRU 1215=08)(1300 THRU 1315=09) (1400 THRU 1415=10)(1500 THRU 1515=11)(1600 THRU 1615=12),(1)5 STONE (2)6 STONE (3)7 STONE (4)8 STONE (5)9 STONE (6)10 STONE (7)11 STONE (8)12 STONE (9)13 STONE (10)14 STONE (11)15 STONE (12)16 STONE
DAYSABSA	3	4.6-8	Days absent first year
DAYSABSB	3	4.9-11	Days absent second year
DAYSABSC	3	4 12-14	Days absent third year
DAYSABSD	3	4.15-17	Days absent fourth year
DAYSABSE	3	4 18-20	Days absent fifth year
DAYSABSF	3	4.21-23	Days absent sixth year
DAYSABSG	3	4 24-26	Days absent seventh year
INCABS	2	4.27-28	Incidents of absence first year
INCABSB	2	4.29-30	Incidents of absence second year
INCABSC	2	4.31-32	Incidents of absence third year
INCABSD	2	4 33-34	Incidents of absence fourth year
INCABSE	2	4.35-36	Incidents of absence fifth year
INCABSF	2	4.37-38	Incidents of absence sixth year
INCABSG	2	4.39-40	Incidents of absence seventh year
MINRATT	2	4.41-42	Minor treatment attendances
OTHRATT	2	4.43-44	Other attendances
MTHLVRC	2	4.45-46	Month of leaving or recording
YRLVRC	2	4.47-48	Year of leaving or recording
SEASBRK	2	4.49-50	Number of seasonal breaks
INCDIAR	1	4.51	Incidence of absence due to diarhoea
INCBRCTS	1	4.52	Incidence of absence due to bronchitis
INCOCHST	1	4.53	Incidence of absence due to other chest conditions
INCNVS	1	4.54	Incidence of absence due to nerves/mental trouble
INCWAABS	1	4 55	Incidence of works accident absence
INCHECH	1	4.56	Incidence of absence due to headache or migrane
INCARTHS	1	4 57	Incidence of absence due to arthritis
INCURINF	1	4 58	Incidence of absence due to urinary tract infection
INCANAEM	1	4.59	Incidence of absence due to anaemia
MTHSTART	2	4 61-62	Month of starting
INCOACCA	1	4 62	Incidence of absence due to non works accidents
INCHEART	1	4 63	Incidence of absence due to heart
INCPEPTU	1	4 64	Incidence of absence due to peptic ulcer
ALCOHOLI	1	4 65	Incidents where alcohol involved
INCPRFGM	1	4 66	Incidence of absence due to pregnancy or misscarriage

INCHYPRT	1 4 67	Incidence of absence due to hypertension
TIMEMPD	New	IF (EMPLOYED EQ 1)TIMEMPD=((YRLVRC - YREXAM)* 12+MTHLVRC - MTHSTART)/12
DYSABSUM	New	IF (EMPLOYED EQ 1)DYSABSUM=(DAYSABSA+ DAYSABSB+DAYSABSC+DAYSABSD+DAYSABSE+DAYSABSF+ DAYSABSG)
INCABSUM	New	IF (EMPLOYED EQ 1)INCABSUM=(INCABSA+INCABSB+ INCABSC+INCABSD+INCABSE+INCABSF+INCABSG)
GPDYSABS	New	IF (JOBSUM EQ 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9)GPINSABS=DYSABSUM RECODE (0=0)(1 THRU 19=1)(19 THRU 36=2)(37 THRU 54=3)(55 THRU 72=4)(73 THRU 90=5)(91 THRU 118=6) GPDYSABS,GRPD DYS ABS/(0)None (1) 1-18 (2)19-36 (3)37-54 (4)55-72 (5)73-90 (6)91-118
GPINCABS	New	IF(JOBSUM EQ 1 OR 2 OR 3 OR 4 OR 5 OR 6 OR 7 OR 8 OR 9)GPINCABS=INCABSUM,(0=0)(1 THRU 2=1)(3 THRU 4=2)(5 THRU 6=3)(7 THRU 8=4)(9 THRU 10=5),GPINCABS,GRPD INC ABS/(0) None (1)1-2 (2)3-4 (3)5-6 (4)7-8 (5)9-10
MINRTSUM	New	IF (EMPLOYED EQ 1)MINRTSUM=MINRATT,RECODE (0=0)(1 THRU 6=1)(7 THRU 12=2)(13 THRU 18=3)(19 THRU 24=4)(25 THRU 36=5)(37 THUR 48=6)(49 THRU 60=7) (0)None (1)1-6 (2)7-12 (3)13-18 (4)1924 (5)25-36 (6)37-48 (7)49-60
OTHRTSUM	New	IF (EMPLOYED EQ 1)OTHRTSUM=OTHRATT,RECODE (0=0)(1 THRU 6=1)(7 THRU 12=2)(13 THRU 18=3)(19 THRU 24=4)(25 THRU 30=5)(31 THRU 36=6) (0)None (1)1-6 (2)7-12 (3)13-18 (4)19-24 (5)25-30 (6)31-36
SBRKSUM	New	IF (EMPLOYED EQ 1) SBRKSUM=SEASBRK,(0=0) (1 THRU 2=1)(3 THRU 4=2)(5 THRU 6=3)(7 THRU 8=4)(9=5),(0)None (1)1-2 (2)3-4 (3)5-6 (4)7-8 (5)9
ABSPYR	New	COMPUTE ABSPYR=DYSABSUM/TIMEMPD, (0=0)(1-10= 1)(11-20=2)(21-30=3)(31-50=4)(51-70=5) (71-91=6),ABSPYR,AVGE ABS PER YR/ (0)0 (1)1-10DAYS (2)11-20DAYS (3)21-30DAYS (4)31-50DAYS (5)51-70DAYS (6)71-91DAYS
INCABSYR	New	COMPUTE INCABSYR=INCABSUM/TIMEMPD, RECODE (0=0)(1-2=1)(3-4=2)(5-6=3)(7-8=4)(9-10=5) (11-12=6)(13-14=7) (15-16=8)(17-18=9), INCABSYR,AVGE INC ABS PER YR/ (0)0 (1)1-2 (2)3-4 (3)5-6 (4)7-8 (5)9-10 (6)11-12 (7)13-14 (8)15-16 (9)17-18
SBRKYR	New	COMPUTE SBRKYR=SBRKSUM/TIMEMPD,SBRKYR,AVGE NO OF SEAS BRKS YR/

		RES1GHI (1=0)(3,5,6,7=1)/RES1OTHR (01=0) (02,03,06,13=1)/RES2DEF (1=0)(4,7=1)/RES2MNO (1=0)(4,7=1)/IF ((RES1DEF ** 1)AND(RES1MNO ** 1)AND(RES1GHI ** 1)AND(RES1OTHR ** 1)) ** EQ NE NE NE/ NF EQ NE NE/ NE NE EQ NE/ ** NE NE NE EQ RPOMVT=1 ** NE NE EQ EQ/NE EQ NE EQ/NE EQ EQ NE/ EQ NE EQ NE/EQ EQ NE NE RPOMVT=2 ** EQ EQ EQ NE/NE EQ EQ EQ/ EQ NE EQ EQ/EQ EQ NE EQ/ RPOMVT=3 ** EQ EQ EQ EQ RPOMVT=4 IF((RES2DEF ** 1)AND (RES2MNO ** 1))RPOMVT=+ ** EQ NE/NE EQ RPOMVT=2 ** EQ EQ RPOMVT=4
RSTR	New	Reservations concerning strenuous work RECODE RES3DEF (1=0)(3,5,6,7=1)/RES3GHI (1,4,5,7 =1)/RES3MNO (1=0)(3,5,6,7=1)/RES3OTHR (01=0)(08= 1)/IF ((RES3DEF ** 1)AND(RES3GHI ** 1)AND (RES3OTHR ** 1))RSTR=+ ** EQ NE NE NE/NE EQ NE NE/NE NE EQ NE/NE NE NE EQ RSTR=1 ** EQ EQ NE NE/EQ NE EQ NE/EQ NE NE EQ/NE EQ EQ NE/EQ NE EQ NE/ NE NE EQ EQ RSTR=2 **EQ EQ EQ NE/EQ EQ NE EQ/ EQ NE EQ EQ/NE EQ EQ EQ RSTR=3 **EQ EQ EQ EQ RSTR=4
RPHYS	New	Reservations on other physical factors RECODE RES4JKL (1,6,7=1)/RES4PQR (1,4,6,7=1)/IF ((RES4JKL ** 1)AND(RES4PQR ** 1))RPHYS=+ **EQ NE/ NE EQ RPHYS=1 **EQ EQ RPHYS=2
RSUBS	New	Reservations on chemicals and substances RECODE RES5JKL (1=0)(2,4,5,7=1)/RES5PQR (1=0) (2,3,4,6=1)/RES5STU (1,2,3=1)/ RES6PQR (1=0)(5,7 =1)/RES6STU (1=0)(4,5,6=1)/RES7STU (1=0)(7=1)/ IF ((RES5JKL ** 1)AND(RES5PQR ** 1)AND(RES5STU ** 1))RSUBS=+ ** EQ NE NE/ NE EQ NE/ NF NE EQ/RSUBS=1 **EQ EQ NE/ EQ NE EQ/ NE EQ EQ/ RSUBS=2 ** EQ EQ EQ/RSUBS=3 IF ((RES6PQR ** 1)AND(RES6STU ** 1))RSUBS=+ **EQ NE/ NE EQ RSUBS=2 ** EQ EQ RSUBS=4 IF (RES7STU EQ 1)RSUBS=3
RMCH	New	Reservations associated with machinery RECODE RES8JKL (1=0)(3,5,6,7=1)IF (RES8JKL EQ 1) RMCH=1
RLTIM	New	Reservations associated with anticipated lost time RECODE RES8OTHR (01=0) (04,12=1) IF (RES8OTHR EQ 1)RLTIM=1
RHYG	New	Reservations concerning nygiene and health RECODE RES9OTHR (01,05,10,18,24=1) (23=2) IF (RES9OTHR EQ 1)RHYG=1 IF (RES9OTHR EQ 2)RHYG=2
RPERS	New	Reservations on personal matters RECODE RES1OTHR (01=1)(07,09,11,14,15,19,20,21=1) IF (RES1OTHR EQ 1)RPERS=1
RMISC	New	Miscellaneous reservations RECODE RES11THR (01=0)(16,17,21,22=1)IF (RES11THR EQ 1)RMISC=1

Variables and sample sizes.

For abbreviations and full listing see Appendix B 1ff. In addition M = Male F = Female.

IDENT	1.1-4	251
SEX	1.6	1.Male 102, 2.Female 149
BIRTHP	1.7	Place of birth 1.England M65 F38 93 2.Scotland, Wales or N.Ireland M6 F3 9 4. Eire M1 F1 2 5.Caribbean M1 1 6.India or Pakistan M8 8 7.Other M1 F3 4 8. Don't know 1 999.Not asked 133 Orig. & Short.
BIRTHY	1.8-9	Year of birtn
YRSUK	1.10-11	Number of years in U.K.
YREXAM	1.12-13	Year of exam
FORM	1.14	Form used 0. Original M19 F38 57 1.First Ed. M4 F12 16 2.Second Ed M4 F1 5 3.Third Ed. M65 F22 87 5.Fourth Ed. M10 10 4.Seasonal form F76 76
INTERV	1.15	(Original form only) 1. Interviewer and physical examiner 26 2. Physical examiner only 32 Not asked 194
CURSMOK	1.16	SRH Current smoker 1.Yes M41 F10 51 2 Not sure M1 1 0.None M41 F25 66 Not asked 133
PREVSMOK	1.17	Previous smoker 1.Yes M18 F4 22 0.None 96 Not asked 133
PIPE	1.18	Pipe smoker 1. Yes M7 7 0 None 111 Not asked 133
CIGAR	1.19	Cigar smoker 1.Yes M3 3 0.None 115 Not asked 133
NOS''OKD	1 20	Number smoked 1. Under 10 a day M26 F10 36 2 10-20 a day M21 F3 24 3 20-40 a day M1 1 4.40+ a day M1 1 0.None M28 F21 49 8 Don't know 7 Not asked 133
DRKSOCC	1.21	SRH 1.Occasional drinker M54 F21 75 2. Regular drinker M12 F0 12 0.Neither 31 Not asked 133
DRKSWK	1.22	VH Drinks 1.Under once a week M4 F3 7 2 Once to twice a week M14 14 3.3-4 times a week M7 7 4.5 or more times a week M3 3 5.Over 8 times a week M1 1 6 Weekends M7 7 Not asked 212 arbitrary
DRKSWHN	1.23	VH drinks when 1. Lunch only M1 1 2.Nights only M1 1 Not asked 149 arbitrary
DRKSATM	1.24	VH amount drunk at a time 1.Up to two pints a day M7 7 2.Two to five pints a day 2.M 16 Not asked 228 arbitrary
ACNE	1.25	SRH Acne 2 pnan F2 2 0.None M7 7 F11 11 Total 18 Not asked 231
ALLGYSKN	1.26	SRH skin allergy 4.pan M8 F5 13 0.None 181 Not asked 57
ANAEM	1.27	SRH Anaemia 4.pan F5 5 5.Undiagnosed action

		F1 1 O.None 115 Not asked 133
ARTHRTS	1.28	SRH Arthritis 2.Pnan F1 1 4.pan M1 F2 3 O None 190 Not asked 57
ASTHMA	1.29	SRH Asthma 1 Pnaa F1 1 4.pan M4 F1 5 O None 189 Not asked 57
TINEAP	1.30	SRH Athletes foot 4.pan M17 F2 19 O.None 99 Not asked 133
DIARHS	1.31	SRH Recurrent diarhoea 1.pnaa F1 1 2 pnan M1 F1 2 3.paa M1 1 4.pan M16 F6 22 O.None 168 Not asked 57
DIARVH	1.32	1.Recurrent diarnoea M1 1 2.Positive stool tests M2 2 3 Negative stool tests M1 1 4.No test results F2 2 O.None 245
TYPHD	1.33	SRH Typhoid O.None 251
PTYPHD	1.34	VH or SRH Paratyphoid O None 251
DYSNTRY	1 35	VH or SRH Dysentry 4.pan M1 1 O.None 193 Not recorded 57
GASTROE	1.36	VH or SRH Gastroenteritis 2.pnan F1 1 4.pan M9 F8 17 O.None 176 Not recorded 57
BILIOUSS	1.37	SRH Bilious attacks 2.pnan M2 2 4 pan M3 F5 8 O.None 108 Not recorded 133
BACKTRBL	1.38	SRH Backtrouble 1.pnaa F1 1 2 pnan M1 F1 2 3 paa M3 F2 5 4.pan M6 F6 12 O.None 174 Not recorded 57
BLACKTS	1.39	SRH Blackouts 1 pnaa F1 1 2 pnan M6 F9 15 O.None 177 Not recorded 57
EPILEPSY	1.40	VH or SRH Epilepsy 2 pnan F1 1 3.paa F1 1 O.None 249
FAINTS	1.41	SRH Fainting 2.pnan F4 4 4.pan M1 1 O.None 18 Not recorded 228
FAINTV	1.42	VH Fainting 2 pnan F1 1 3.paa F1 1 4.pan M9 F16 25 O.None 224
FITSS	1.43	SRH Fits O.none 21 Not recorded 230
BCITIS	1.45	SRH bronchitis 2.pnan M1 F1 2 3.paa M1 F1 2 4.pan M5 F2 7 O.None 183 Not recorded 57
PLRSY	1.46	SRH Pleurisy 4.pan M1 F1 2 O None 116 Not recorded 133
PNUMNA	1.47	SRH Pneumonia 2 pnan M1 1 4 pan M3 F1 4 O.None 113 Not recorded 133
CATRRH	1.48	SRH Catarrh 2 pnan M1 F1 2 4 pan M14 F8 22 O.None 84 Not recorded 133
DEAF	1.49	SRH Deafness 2.pnan F1 1 4.pan M1 1 O.None 116 Not recorded 133
HEARNGTR	1.50	SRH Hearing trouble 2.pnan M1 F1 2 4.pan M2 2 O.None 114 Not recorded 133
EARTR	1.51	SRH ear trouble (short form 'ear trouble or deafness') 2.pnan M2 F1 3 4 pan M7 F1 8 O.None 183 Not recorded 57
EARPERF	1.52	2.Discharge present F1 1 3 Wax present M13 F18 31 4.Wax and discharge present F1 1 O.None 218
DIABETES	1.53	SRH Diabetes O.none 194 Not asked 57
EASLYTRD	1.54	SRH Easily tired O.None 118 Not asked 133

ECZEMA	1.55	SRH Eczema 0.none 118 Not asked 133
FRQCOLDS	1.56	SRH of frequent colds 2 pnan M1 1 3.paa M1 1 4 pan M7 7 0 None 109 Not asked 133
GALBLAD	1.57	SRH Gallbladder trouble or inflammation 4.pan M1 1 0.None 193 Not asked 57
GENDEBTY	1.58	SRH of general debility 2.pnan M1 1 0 None 117 0 None 117 Not asked 133
GIDYSPLS	1.59	SRH giddy spells 1 pnaa M1 1 4.pan M1 F2 3 0.None 114 Not asked 133
HAYFEVR	1.60	SRH of hayfever 2 pnan M1 1 3.paa M1 1 4 pan M8 F3 11 0.None 181 Not asked 57
HEADCHS	1.61	SRH Headaches 1.pnaa M1 1 2 pnan M5 F1 6 4.pan M28 F17 45 0.None 66 Not asked 133
HEAMOPH	1.62	SRH heamophilia 0.None 118 Not asked 133
HEARTTR	1.63	SRH heart trouble 2 pnan F1 1 4.pan M1 1 0.None 192 Not asked 57
HERNIA	1.64	SRH Hernia 4.pan M1 F1 2 0.None 192 Not asked 57
BPSRH	1.65	SRH Blood pressure 2.pnan M1 1 4.pan F9 9 0.None Not asked 57
BPHILO	1.66	0.No SRH high or low blood pressure 16 Not asked 245
BPPE	1.67	BP level recorded 2.Systolic 100-119 M1 1 3.Systolic 120-139 F1 1 4 Systolic 140-159 M1 1 5.Systolic 160-179 F1 1 7.Systolic 200 or over M1 1 Not examined 246
PULSEREC	1.68	Pulse recorded findings 1.Normal 2 3.Irregular 1 Not recorded 248
INSOMNIA	1.69	SRH Inability to sleep 4 pan M3 F3 6 0.None 112 Not asked 133
JAUNDICE	1.70	SRH Jaundice 4.pan M2 F2 4 0 None 114 Not asked 133

KIDNCYTR	1 71	SRH Kidney trouble 3.paa F1 1 4.pan F2 2 0.None 191 Nor asked 57
URINDIFF	1.72	SRH Urinary difficulty 4 pan F2 2 0 None 192 Nor asked 57
DYSURIA	2 6	VH Pain on micturition 0 None 194 Nor asked 57
MALARIA	2 8	SRH Malaria 1 pnaa M1 1 0 None 117 Not asked 133
TROPSDUR	2 9-10	Time spent in tropics 97 Under one year 3 11yrs 1,17yrs 2, 18yrs 1, 21yrs 1, 22yrs 1, 23yrs 1, 38yrs 1 98.Don't know 4 0 None 101 Nor asked 133
TROPSWHN	2.11	When in the tropics 1. Within 6/12 M2 2 3 Longer than 2yrs ago M4 F2 6 0 None 102 8.Don't know 7 9 Missing 1 Not asked 133
TROPLDIS	2.12	SRH Tropical disease 4.pan F1 1 0.None 115 8.Don't know 2 Not asked 133
MENTLTRB	2.13	SRH Mental trouble 1 pnan M1 F1 2 2 pnaa M2 F1 3 0.None 189 Not asked 57
DEPRESN	2.14	SRH Depression 2 pnan M1 F1 2 4. M3 F1 4 0 None 112 Nor asked 133
EMOTUPST	2 15	SRH Emotional upsets 4 pan M1 1 0.None 15 Nor asked 235
NERVBRKN	2 16	SRH Nervous breakdown 0 None 16 Not asked 235
MIGRANE	2.17	SRH Migrene 3. paa M1 F1 2 4 pan M6 F2 8 0 None 109 Nor asked 132
NOSETRB	2 18	SRH Nose trouble 4 pan M8 F1 9 0 None 109 Not asked 133
PEPTICUL	2 20	SRH Peptic ulcer 2 pnan M1 1 0 None 117 Nor asked 133
PILES	2 21	SRH Piles 4 pan M4 4 0 None 114 Nor asked 133.
PNEUTF	2 22	3 paa F2 2 4 pan F1 1 0 None 115 Not asked 133
SENSDRUG	2.23	SRH Sensitivity to drugs 2 pnan M1 F2 3 4.pan 5 F7 12 0.None 179 Nor asked 57
SINUSTR	2 24	SRH sinus trouble 2 pnan M1 1 4 pan M4 F1 5 0.None 112 Nor asked 133
SKINTR	2 25	SRH Skin trouble 2 pnan M8 F3 11 3 paa M1 1 4.pan M7 F7 14 0 None 168 Nor asked 57
STOMATK	2 26	SRH stomach ache 2 pnan M3 F1 4 4.pan M23 F10 33 0 None 81 Nor asked 133
STOMULC	2.27	SRH Stomach ulcer 2 pnan F1 1 4 pan M1 F1 2 0 None 191 Nor asked 57
THRTTR	2 28	SRH Throat trouble 1 pnaa F1 1 2 pnan M7 F3 10 3.paa M1 1 4 pan M14 F4 18 0.None 88 Nor asked 133
TONSILAB	2 29	SRH Tonsilectomy (Wrar operations) 1 pnaa M1 1 2 pnan F1 1 4 pan F2 2 0 None 190 Nor asked 57
THYRTR	2 30	SRH Thyroid trouble 2.pnan M1 1 6.Undiagnosed action taken M1 1 0 None 192 Nor asked 57
TUBERCL	2.31	SRH Pulmonary tuberculosis 0 None 194 Nor asked 57
DIFWLKG	2 32	SRH Difficult, walking 3 paa M2 2 0 None 192 Nor asked 57
DIFBDNDG	2 33	SRH Difficult, bending 3 paa M1 F1 2 0 None 192 Nor asked 57
DIFSTC	2 34	SRH Difficulty sitting 1 pnaa F1 1 3.paa

		M1 1 0.None 192 Not asked 57
DIFSTDG	2.35	SRH difficulty standing 3.paa M2 F2 4 0 None 190 Not asked 57
DIFLIFTG	2 36	SRH Difficulty lifting 1 pnan F1 1 2 paa M1 1 4 pan F1 1 0 None 191 Not asked 57
DIFCLSTR	2 37	SRH Difficulty climbing stairs 3 paa M2 F1 3 0.None 191 Not asked 57
ATTGDR	2.38	SRH current G.P. attendance 1 Attending G.P M1 F1 2 2 Under G.P. M1 1 3.Meant 'has a G.P. M2 2 4 Not acknowleged F1 1 5 G P hospital treatment, taolets or medicines F1 1 0.None 186 Not asked 57
ATTGHOS	2.39	SRH Current hospital treatment 1.pnaa M1 2.pnan F1 1 3 paa F1 1 5 G.P. rospital treatment, taolets or medicines F1 1 0 None Not asked 57
REGDISAB	2.40	SRH Registered disabled 3 paa M1 1 4.pan M1 1 0.None 116 Not asked 133
FRASUMSA	2.41	SRH First fracture 1 Head 1 2 Upper digits 3 3 Upper limo rest 9 7 Lower limo not digits 6 0.None 175 Not asked 57
FRASUMSB	2.42	SRH Second fracture 3 Upper limo nor digits 3 0.None 191 Not asked 57
FRASUMSC	2.43	SRH Third fracture 1 Head 1 0 193 Not asked 57
FRASUMVA	2.44	VH First fracture 2 Upper digits 1 3 Upper limo rest 7 0 None 243
FRASUMVB	2.44	VH second fracture 0 None 251
FRASUMVC	2 46	VH Third fracture 0 None 251
FRASUMPA	2 47	PE First fracture 3 Upper limo nor digits 1 0.None 250
FRASUMPB	2 48	PE Second fracture summary 0 None 251
FRASUMPC	2 49	PE Third fracture summary 0 None 251
ACTFRAC	2.50-51	Action on fractures 33 in sample
OPSUMSA	2.52-53	SRH First operation 1 Head organ including tonsils 19 2.Head other 2 6 Non-major cardio-vascular 1 9.Minor abdominal 16 10 Major abdominal 5 11 Genito urinary, including sterilisation 3 13 Lower limo 8 14 Other ortropeodic 2 0.None 194
OPSUMSB	2 54-55	SRH Second operation 1 Head organ or tonsils 3 2.Other head 3 6 Non-major cardio-vascular 2 8.Superficial 1 9 Minor abdominal 2 10. Major abdominal 2 11.Genito-urinary including sterilisation 2 13 Lower limb 3 0 None 76 Not asked 57
OPSUMSC	2 56-57	SRH Third operation 1 Head organ including tonsils 1 11.Genito urinary, including steril-isation 1 13 Lower limo 1 16.Two major abdominal 1 0 None 190 Not asked 57

OPSUMVA	2 58-59	VH First operation 1 Head organ or tonsils 19 2.Other head 1 8 Superficial 1 9 Minor abdominal 9 11 Genito urinary including sterilisation 10 13 Lower limb 1 0.None 209
OPSUMVB	2.60-61	VH Second operation 1 Head organ including tonsils 1 8 Superficial 1 9 Minor abdominal 1 11 Genito urinary including sterilisation 1 98 Don't know 1 0 None 246
OPSUMVC	2 62-63	VH Third operation 0.None 251
OPSUMPA	2 64-65	PE First operation 2 Head not organ 1 11.Genito urinary including sterilisation 2 0.None 248
OPSUMPB	2 66-67	PE Second operation 0.None 251
ACTOP	2.70-71	Action on operations 1 Head organ including tonsils 1 5 Major cardiovascular 1 12 Upper limb 1 0 None 248
TRAUMSRA	2.72	SRH First trauma 1.No hospital treatment no residual dissability 5 2 No hospital treatment residual dissability 1 3 Hospital treatment no residual dissability 4 4 Hospital treatment residual dissability 1 8 Don't know 0 None 163 Not asked 75
TRAUMSRB	3 6	SRH Second trauma 4 Hospital treatment residual dissability 2 8.Don't know 10 0.None 172 Not asked 57
TRAUMSRC	3.7	SRH Third trauma 4.Hospital treatment residual dissability 1 0.None 191 Not asked 57
TRAUMVHA	3 8	VH First trauma 1.No hospital treatment no residual dissability 2 3.Hospital treatment no residual dissability 2 4 Hospital treatment residual dissability 2 5 DK no hospital no residual dissability 1 0 None 244
TRAUMVHB	3 9	VH Second trauma 1.No hospital treatment no residual dissability 1 3 Hospital treatment 5.DK hospital treatment, no residual dissability 1 0.None 249
TRAUMVHC	3 10	VH Third trauma 0.None 251
ACTTRA	3.14-15	Action on trauma 0.None 251
MEDSSRH	3.16	SR- Taking tablets or medicines 1 1 type 17 2 2 Types 2 0 None 157 Not asked 73
MEDSVH	3.17	VH Taking tablets or medicines 1.1 type 17 0.None 218 Not asked 16 Arbitrary
MEDSPE	3.18	PE evidence of taking tablets or medicines 0.None 235 Not asked 16 Arbitrary
ACTMEDS	3.19	Action on tablets or medicines being taken (36 cases known)).None 36
ACTEYES	3 20	Action on eye condition 1 Visual acuity 3 2.Colour deficiency 1 4 Infection 1 0 None 246
DENTRFR	3.21	Referred to dentist 1 No action 1 2.Treatment required 6 4 Treatment required 6 5.? Result 11 0 None 227
RITE	3.22	1.Inadequate dose 12 2.Inadequate false teeth 6 3 Adequate false teeth 14 0.OK 147 8 Don't know 71
VITCH	3.23	Vitallograph test 1 Routine, action 1 3 Special action 1 4 Special no action 3 0 None 19 Not examined 227 Arbitrary
XYCHST	3 24	VH or actual chest xray result Not examined 251

NAILS	3.25	PE of nails 1 Bitten 9 2.Bitten and dirty 1 3.Dirty 6 4.Bitten and action taken 8 5.Bitten and dirty action 1 7.OK 1 8 Don't know 52 0.None 176
INFUPLB	3.26	PE nail beds unhealthy or upper limb infection 1.Unhealthy nail beds 5 7.OK 189 8.Don't know 57
NICOTINE	3.27	PE Nicotine stains 1.Stains present 14 8.Don't know 52 0.None 185
GRIP	3.28	PE Grip 2.Good 194 8.Don't know 57

VVSRH	3.29	SRH Varicose veins 1 phaa 4 2.phan 1 1.paa 7 4.pan 3 0.None 179 Not asked 57
VVSPE	3.30	PE Extent of varicose veins 1.Minimal 5 2.More 9. 3.Complaining of aching 2 6.Extent not recorded 1 7.Treated satisfactory 1 8.Don't know 1 0 None 232
ANKLSWLL	3.31	PE Ankle swelling 1.Present action 1 3 8.Don't know 55 0.None 193
BUNCORN	3.32	PE Bunions or corns 1.Bunions 1 3 Bunions and corns 1 8.Don't know 56 0.None 193
DEFORMS	3.33	PE Deformities of foot 1 Hammer toes 2 4. Grifosis 1 5.Deformities 1 8.Don't know 87 7.OK 190
PERIODSA	3.34	VH Periods 1 On pill 23 2.Dysmenorhoea 6 0.None 165 Not asked 57 (102 men)
PERIODSB	3.35	Vh Periods 1.Off school or work with 2 2 Irregular 2 3.Off school or work with periods which are irregular 1 0.None 190 Not asked 56 (102 men)
PERIODSC	3.36	Vh Periods 1.Heavy with clots 3 0.None 192 Not asked 56 (102 men)
JOB	3.37-38	(A=Full time, B=Part time, am's pm's and not specified,C=Evenings, D=Double days, E=Nights, F=Shifts, G=Days hours DK, H=DK) 1.Factory production 01 M A16 B24 41, F A34 B42 C31 G2 109 Total 150 2.Choc block 01 M F3 3 3.Metroscopist 02 M A1 1 8.Overlooker 02 M C1 1 F A1 1 Total 2 9.Production and maintenance cleaner 05 M A2 D2 E3 7 10.Day cleaner 06 M A2 2 11.Part time cleaner 07 F B6 C3 9 12.Special cleaner (double day) 05 M D1 1 13.15-16 yr school leaver 01 M A1 1 15.Chocolate shop 06 M A1 B1 2 23.Electrician 04 M A1 1 25.Plumber 04 M A1 1 27.Apprentice 04 M A5 5 30.Research and development scientist 11 F A2 2 32.Clerical 09 F A1 1 36.18yr school leaver 11 M A3 3 F A1 1 Total 4 37.Graduate trainee 10 M A16 16 F A9 9 Total 25 38. Management 12 M A3 3 F A1 1 Total 4 40.Don't know, professional 12 M A1 1 42.Catering 08 F B6 G2 8 43.Card box 03 F A1 B1 C2 G1 5 44.Assistant scientist 11 M A1 1 F A1 1 Total 2 45.Card cutting 03 M A2 2

46. Fitter 04 M A1 1
47.Toilet cleaner 06 M A1
48.Sheet metal 04 M A1 1
49.Production servicing 01 M A1 1
50.Mould maker trainee 04 M A1 1
51.Computers job not specified 11 M A1 1
52.Returns 02 M A1 1
53.Factory records 09 M E1 1 F A1 1 Total 2
54.Beeches cleaner 07 F G1 1
55.Skilled fitter 04 M A1 1
56.Warehouseman 05 M A1 1

JOBSUM New Job summary groups
01 Factory A 01 M 41 F 109 Total 150
02 Factory B 01 M 3 F 1 Total 4
03 Factory C 01 M 2 F 5 Total 7
04 Trades 02 M 11 Total 11
05 Support A 01 M 9 Total 9
06 Support B 01 M 5 Total 5
07 Women cleaner 01 F 10 Total 10
08 Catering 01 F 8 Total 8
09 Clerical 02 M 1 F 2 Total 3
10 Graduate trainee 03 M 16 F 9 Total 25
11 Ass white collar 03 M 5 F 4 Total 9
12 Management/ professional 03 M 3 F 2 Total 5

JOBSUM New Males in three job summary groups
01 Factory hourly paid 60
02 Trades/clerical 12
03 Salaried 14

JOBSUMF New Females in three job summary groups
01 Factory hourly paid 133
02 Trades / clerical 2
03 Salaried 15

HOURS	3.39	Hours of work considered for 1.Full time 117 2.Part time not evenings 56 3.Evenings 36 4.Double days 3 5.Nights 29 6.Shifts 3 7.Days hours not known 6 8.Don't know 1
EMPLOYED	3.40	Employed or not 1.Yes 162 0 No 89
FITNESS	3.41	Fitness for job 1 Fit 164 66.4% 2.Unfit 1.3% 3 Fit with reservations 71 28.7% 4.OK for job sought 10 4% Don't know 4
EXAMREQ	3.42	To be re-examined before change of job.(Could be required for others 'if illness or accident intervene')1.Yes 13 2.No 222 Not recorded 16
RESABC	3.43	Three reservations 2.No shift work 1 0.None 250
RESDEF	3.44	Three reservations 2.Semi sedentary work 18. 0.None 231
RESGHI	3.45	Three reservations 0.None
RESJKL	3.46	Three reservations 2.No dusty work 1 3.No belt work 1 0.None 249
RESMNO	3.47	Three reservations 1.No heavy lifting 1 3 No trolleying 1 6.No heavy lifting or trolleying 1 0.None 248
RESPQR	3.48	Three reservations 1.No noisy work 1 3 No chocolate handling 9 0.None 241
RESSTU	3.49	Three reservations 1.No grease handling 1 2.No food handling 12 0.None 238
RESVWX	3.50	Permanence of reservations 1.Subject to review 60 2.Suggest trial period 5 3.Permanent reservation 13 8.Don't know 1
RESOThR	3.51-52	Other reservations 01.Subject to stool tests 6 02.No repeated lifting or twisting 2 03 No bending 1 04.Expect lost time 5 05 Hand check required 7 06.Difficulty sitting, propose cushion 1 07.Deaf, can lipread 1 08. Quiet type of job 09.Age 1 10.Subject to dental check 3 11.Back trouble 1 12.Could loose time 2 13.Not much walking or climbing stairs 1 14.To wear glasses 3 15 'Too good' for job 1 16.Limited English ? history 1 17. Unspecified 1 18.halitosis 2 19.Gross overweight 1 20.Subject to Optician's report 1 21 Suitable to body build 1 22.As far as acknowledged history goes 1 23.hallitosis + nerves ? 1 24.Wrapped goods only 1 0.None 205
PIMEDA	3.53-54	First medical condition primary interviewer 01 Childish illnesses 18 17.Boils or old discharge in ears 1 18 Migrane or headaches 1 21.Pneumonia 1 24.Rheumatic fever 1 26 Open skin infection 1 34.Cystitis 1 98.DK 1 0.None 32 Not applicable 194
PIMEDB	3.55-56	Second medical condition primary interviewer 20 Bronchitis 1 21 Pneumonia 1 23.Perthes 1 0 None 54 Not applicable 194
PIMEDC	3 57-58	Third medical condition primary interviewer 28 Kidney trouble 1 0 None 56 Not applicable 194
PEMLDA	3.59-60	First medical condition physical examiner 01.Childish illnesses 15 04.Impetigo 1 11 Tonsilitis 1 17. Boils or old discharge in

ears 1 18 Migrane or headaches 1 25 Anaemia 2 27.For minor operation 1 28.Kidney trouole 1 29 Other skin condition 2 30 Congenital mallet fingers 1 33.Asthma 1 36.Nerves/ personality 2 38.Meningitis 1 40.Allergy 1 0.None 26

PEMEDB 3.61-62 Second medical condition physical examiner 03.Flu 1 11.Tonsilitis 1 14.Jaundice 1 25. Anaemia 1 26.Open skin infection 2 28 Kidney trouble 29 Other skin condition 1 31.Shingles 1 35.Diarhoea (not covered above) 1 37. Rheumatism 1 0.None 46 Not apolicable 194

PEMEDC 3.63-64 Third medical condition physical examiner 32.Warts hands 1 36 Nerves/personality 1 39.Abscess 1 0.None 54 Not applicable 194

ACTPIPE 3.65-66 Action on medical conditions 26.Open skin infection 1 0.None 56 Not applicable 194

IMMIGNM 3.67 Immigrant name on seasonal form 1.Yes 8 0.None 49 Not applicaole 194

OUWGHT 3.68 Action taken on weight 1 Overweight action taken 9 4% 2.Overweight no action taken 42 17% Within same range not marked as overweight 18 7% 0.Not overweight 180 Not known 2

HEIGHT 3 72-75 4.09-4 10 6 2 4% 4.11-5.00 18 7.2% 5.01-5.02 49 19 7% 5.03-5 04 56 18.1% 5.07-5.08 31 12.4% 5.09-5.10 25 10% 5.11-6 00 13 5.2% 6 01-6.02 2 4%

HIGHTSUM New 4.06-4.11 8 5.00-5.05 135 5.06-5 11 95 6 00-6.02 11

WEITSUM New Weight in stones 5 Stone 2 0.8% 6 Stone 3 1.2% 7 Stone 29 11 6% 8 Stone 53 21 3% 9 Stone 43 17.3% 10 Stone 57 22.9% 11 Stone 28 11.2% 12 Stone 16 6 4% 13 Stone 11 4.4% 14 Stone 3 1.2% 15 Stone 3 1.2% 16 Stone 1 0.4%

DYSABSUM New Summary of days absence 115 Factory hourly paid during 579 6/12 periods.

0	112	49.3%
1-18	83	36.6%
19-36	22	9.7%
37-54	5	2.2%
55-72	3	1.3%
73-90	1	0.4%
91-118	1	0.4%

112 Trades and salaried. Not employed 24

INCABSUM New Summary of incidents of absence in 115 Factory hourly paid during 579 6/12 periods.

0	51	27.4%
1-2	55	29.6%
3-4	26	14.0%
5-6	9	4.8%
7-8	2	1.1%
9-10	43	23.1%

112 Trades and salaried. Not employed 24.

INCDIARH	4 51	Incidence of absence for diarhoea M 12 cases 16 incidents in 313 6/12 periods. F 12 cases 14 incidents in 584 6/12 periods
INCBRCTS	4.52	Incidence of absence for bronchitis M 5 cases 5 incidents in 313 6/12 periods. F 5 cases 7 incidents in 584 6/12 periods.
INCOCHST	4.53	Incidence of absence for other chest conditions M 1 case 8 incidents in 313 6/12 periods F 3 cases and 5 incidents in 584 6/12 periods.
INCNVS	4.54	Incidence of absence for nerves or mental trouble M 3 cases 3 incidents in 313 6/12 periods. F 7 cases 8 incidents in 584 6/12 periods.
INCWAABS	4.55	Incidence of absence for works accident M 3 cases 3 incidents in 313 6/12 periods. F 1 case and 1 incident in 584 6/12 periods.
INCHEDCH	4.56	Incidence of absence for migrane or headache M 1 case 1 incident in 313 6/12 periods. F 1 case 2 incidents in 584 6/12 periods.
INCARTHS	4.57	F 1 case 1 incident in 313 6/12 periods.
INCURINF	4.58	Incidence of absence for urine infection F 5 cases 6 incidents in 584 6/12 periods
INCANAEM	4.59	Incidence of absence for anaemia F 2 cases 2 incidents in 584 6/12 periods.
INCOACCA	4.62	Incidence of absence for non works accident
INCHEART	4.63	Incidence of absence for heart trouble.
INCPEPTU	4.64	Incidence of absence for peptic ulcer.
ALCOHOLI	4.65	Incidents related to alcohol.
INCPREGM	4.66	Incidence of absence for pregnancy or miss-carriage.
INCYPRT	4 67	Incidence of absence for hypertension.
NAGE	New	Age groups 15-19 38 20-24 58 25-29 31 30-34 20 35-39 20 40-44 21 45-49 11 50-54 8 55-59 3 60-64 2 65-69 1 DK 38
IMMGRNT	New	1. Yes 2 No
MINRTSUM	New	Summary of attendances for minor treatments. 0. None M 15 F 27 1-6 M 34 F 44 7-12 M 6 F 14 13-18 M 6 F 5 19-24 M 6 F 3 37-48 M 1 49-60 F 1 In 886 6/12 periods. Not employed=89
OTHRTSUM	New	Summary of other attendances 0.None M 32 F 53 1-6 M 29 F 32 7-12 M 4 F 6 13-18 M 1 F 1 19-24 F 1

		25-30 F 1
		in 886 6/12 periods. DK=13 Not employed=89
SBRKSUM	New	Number of seasonal breaks
		0. None 118
		1-2 16
		3-4 19
		5-6 2
		7-8 4
		DK=3 Not employed 89
ABSPYR	New	Average absence per year
		0.None
		1-10 days
		11-20 days
		21-30 days
		31-50 days
		51-70 days
		71-91 days
INCABSYR	New	Average incidence of absence per year
		0.None
		1-2
		3-4
		5-6
		7-8
		9-10
		11-12
		13-14
		15-16
		17-18
SBRKYR	New	Average number of seasonal breaks per year
GPINCABS	New	Grouped incidence of absence
		0 None 27
		1 55
		2 26
		3 9
		4 2
		5 43
		Not employed 89
GPDYSABS	New	0.None 47
		1-18 83
		19-36 22
		37-54 5
		55-72 3
		73-91 1
		91-118 1
		Not employed 89
INCABSUM	New	Sum of absence incidence
		0. None 58
		1 40
		2 18
		3 17
		4 11
		5 6
		6 3
		7 1
		8 1
		9 2
		10 2
		11 2
		17 1
		DK 1 Not employed 89

MORBCO	New	Fractures and operations O.None 100 Number with some 151
MORBC1	New	Fractures and operations pnaa O.None 132 1.83 2.31 3 5
MORBC2	New	Fractures and operations pnan O.None 250 1. 1
MORBC3	New	Fractures and operations paa O.None 251
MORBC4	New	Fractures and operations pan O.None 251
MORBC5	New	Fractures and operations missing O.None 251
TIMEMPD	New	6/12 53 1 6/12 47 2 6/12 4 3 6/12 11 4 6/12 7 5 6/12 8 6 6/12 7 7 6/12 24 Not employed 89 Missing 1
DAYSABSUM	New	Sum of days absent 0. 82 1. 3 2. 3 3. 4 4. 2 5. 6 7. 2 8. 4 9. 2 10. 5 11. 4 12. 3 13. 2 14. 1 15. 2 16. 2 18. 2 19. 2 20. 3 21. 4 23. 1 25. 1 26. 1 27. 2 28. 1 30. 1 31. 1 32. 2 33. 1 35. 2 36. 1 40. 1 44. 1 45. 1 50. 1 51. I 62. 1 67. 1 70. 1 83. 1 91. 1 Not employed 89 Missing 1
SRFROPTR	New	SRH Fractures operations and trauma O.None 102 1. 44 2. 22 3. 6 4. 1 DK 76
VHFROPTR	New	VH Fractures operations and trauma O. None 195 1. 44 2. 5 3. 2 4 1 DK 4
PEFROP	New	PE Fractures operations and trauma O. None 247 1. 4
ACFROPTR	New	Action on fractures operations and trauma O. None 248 1. 2 4. 1

PSHPS	New	Reservations concerning hours of work (Less flexibility in hours available to men) M (Fctry A)3 (Support A))1 (Support B))4 8 F (Fctry A)14 (Cater)2 16 Total 24
RSTR	New	Reservations concerning strenuousness of work M (Fctry A)2 2 F (Fctry A)1 1 Total 3
RSUBS	New	Reservations concerning chemical and other substances M (Fctry A)5 (Support B)1 6 F (Fctry A)5 (Wom.Clean)1 (Cater)1 7 Total 13
RMCH	New	Reservations concerning machinery F (Fctry A)1 1 Total 1
RLTIM	New	Reservations concerning anticipated lost time M (Fctry A)2 (Fctry B)1 (Ass Wh Coll)1 4 F (Fctry A)1 (Gr.Trnee)1 2 Total 6
RHYG	New	Reservations relating to hygiene (especially food) M (Fctry A)9 (Fctry C)1 (Support A)3 (Support B)1 14 F (Fctry A)5 5 Total 19
RPERS	New	Rservations concerning personal factors and nerves M (Fctry A)3 (Support A)2 5 F (Fctry A)3 (Wom Clean)2 5 Total 10
RMISC	New	Miscellaneous reservations M (Fctry A)2

2 F (Fctry A)1 (Fctry C)1 2 Total 4
Totals of RSHRS to RMISC M (Fctry A)16 43 0 37 (Fctry B)1
3 0.33 (Fctry C)1 2 0 5 (Support A)6 10 0 6 (Support B)6 5
1.2 (Trades)0 12 0 (Cler.)0 1 0 (Gr Trnee)0 16 0 (Ass.Uh Coll)
1 5 0.2 (Mgt/Prof)0 4 0 41 101 0.4 F (Fctry A)29 109 0 23
(Fctry B)0 1 0 (Fctry C)1 4 0 25 (Hom clean)3 10 0 3 (Cater)3 8
0 4 (Gr Trnee)1 9 0.1 (Ass Uh Coll)0 4 0 (Mgt/Prof)0 1 0 (Cler)0 2
0 39 148 0 4 Total 80 241 0.3
M (Fctry hrly) Age 15-34 22 40 0 55 35-54 7 15 0.5 55-69
6 6 1 (Trades/Cler) 15-34 0 11 (Salaried) 15-34 1 25 0.04
Totals 15-34 23 76 0.3 35-54 7 15 0 5 55-69 6 6 1 F (Fctry
hrly) 15-34 18 74 0.2 35-54 19 59 0.3 55-69 1 1 1 (Trades/Cler)
0 2 0 (Salaried) 1 25 0 04 Totals 15-34 19 90 0 2 35-54 19 59
0.3 55-69 1 1 1 Both sex totals 15-34 42 166 0 3 35-54 26 74
0.4 55-69 7 7 1

Appendix C 1


When Jobs not stated – not employed in Building – where not otherwise indicated graduate trainees
Date
Init
5
10
15
20
25
30
35
40
45
50
55
Sample of pilot data collection method. Sheet 1 of four continuous.

Appendix C 2



Sheet 2 of 4 continuous.



Sheet 3 of 4 continuous.



Sheet 4 of 4 continuous.

Time Employed	Attnces	Mid-point Attnces	Number of people	N of 6/12 per read	Avge Attce Accum	N.of 6/12 periods
6/12	0		15			23
	1-6	3.5	7	1	24.5	
	7-12	9.5	1	1	9.5	
1 6/12	0					54
	1-6	3.5	4	3	4.7	
	7-12	9.5	2	3	6.3	
	13-18	15 5	1	3	5.2	
2 6/12	0					10
3 6/12	0					7
4 6/12	0		1			9
5 6/12	0		3			55
	1-6		2	11	0.6	
6 6/12	0		2			78
	1-6	3.5		13	0.8	
	7-12	9.5	1	13	0.7	
7 6/12	0		5			225
	1-6	3.5	9	15	2.1	
	7-12	9.5	1	15	0.6	
			71		55	461

FCTRY A OTHRTSUM (See Appendix B for contents.).

Other attendances of factory A females to show method of working out average attendances.